



w.e.f. 1st Jan. 2026
PRICE LIST



Rule with Quality

WIRE & PUMPS

Live Life the Happiest Way

IS : 694




CM/L-9100123499





Shri Mukesh Kansal & Shri S.N Bansal is receiving Udyog Rattan Award by His Excellence Shri Bhishm Narayan Singh & His excellence Shri B.P Singh in the Seminar of Economics study





MADAN LAL KANSAL
DIRECTOR



MANIRAM GARG
CHAIRMAN

Company Profile

"KANSAL MECHANICAL INDUSTRIES PVT LTD " is among the few companies in "INDIA" having in-house production for aluminium as well as copper conductor wires, monoblock and submersible pumpset giving it total control over the quality and market share of wires & pumps

We are one of the best wires & pumps companies, providing quality and safety in the market for over three decades.

"KMI " was established in the year 1995. Mr. MUKESH KANSAL is the founder of the company.

We introduce ourselves as one of the leading manufacturers of P.V.C. insulated wires & pumpset under the trade mark of KMI .

"KMI " is one of the few companies in India manufacturing a large & wide range of quality cables and pumpset . Each production carries quality certification and standardization which assures complete safety.

Customer satisfaction is our main objective. Thus, we follow rigorous quality assurance from raw material procurement to the final stage of production, thereby ensuring zero-defect wires & pumpset .

Our company is certified by the Bureau of Indian Standards (BIS), carrying the License No. CM/L-9100123499 All the wire products are manufactured as per the defined standards of IS:694. It means all the products are ISI marked and made according to Indian Standards.

We are an ISO 9001:2015 Certified Company that ensures there is no compromise on quality results while manufacturing wires & pumps. As a result, the end products are manufactured as per the defined quality standards.

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002969966 | Email:kmpump2008@gmail.com | www.kmiwires.com

MULTI STRAND WIRE

90
MTR.


KMI Single Core HRFR Insulated Industrial Grade
Copper Conductor (Unsheathed) Flexible Cables,
1100 Volts Conforming to IS:694

IS : 694




CM/L-9100123499

GRAND

	Size in Sq. MM	No./Dia of wire in mm Class -2	M.R.P	PACKING
	0.75	10/0.30	2585/-	20
1.0	19/0.26	2885/-	20	
1.5	19/0.32	4285/-	20	
2.5	37/0.30	6785/-	10	
4.0	37/0.37	9585/-	10	
6.0	84/0.30	16085/-	8	
10.0	140/0.30	26785/-	4	

FORCE

	Size in Sq. MM	No./Dia of wire in mm Class -2	M.R.P	PACKING
	0.75	10/0.30	1945/-	20
1.0	14/0.30	2245/-	20	
1.5	22/0.30	3345/-	20	
2.5	36/0.30	5445/-	10	
4.0	56/0.30	8245/-	10	
6.0	84/0.30	12345/-	8	
10.0	140/0.30	20845/-	4	




MULTI CORE ROUND CABLE


90
MTR.

Multicore Copper Wire PVC Insulated Cable
1100 Volts


GRAND

	Size in Sq. MM	2 CORE	3 CORE	4 CORE
	1.0	3655/-	-	-
	1.5	5355/-	7510/-	10500/-
	2.5	8155/-	11110/-	15500/-
	4.0	11555/-	17710/-	23500/-

FORCE


	Size in Sq. MM	2 CORE FLAT	2 CORE	3 CORE	4 CORE
	0.75	2080/-	2290/-	-	-
	1.0	2680/-	2990/-	-	-
	1.5	3780/-	4390/-	5960/-	7780/-
	2.5	-	6590/-	8760/-	12380/-
	4.0	-	8990/-	13660/-	17680/-

FIGHTER

	Size in Sq. MM	2 CORE FLAT	2 CORE
	0.75	1570/-	1860/-
	1.0	2070/-	2260/-
	1.5	2970/-	3260/-
	2.5	-	5060/-
	4.0	-	7060/-


RG-6 CO-AXIAL CABLES

90
MTR.

	40X64	ALLOY	1310/-
	40X64	COPPER	2510/-

CAT -6 CABLE


305
MTR.

M.R.P.	13000/-
	

ALUMINIUM WIRE

90
MTR.


Aluminium Wire-PVC Insulated Cable 1100 Volts

	2 CORE			3 CORE			4 CORE		
	Size sq.mm	90 Mtr	450 Mtr	Size sq.mm	90 Mtr	450 Mtr	Size sq.mm	90 Mtr	450 Mtr
	6X2	2080/-	10400/-	-	-	-	10X4	6620/-	33350/-
	8X2	2380/-	11900/-	8X3	3900/-	19500/-	12X4	7720/-	38600/-
	10X2	2980/-	14900/-	10X3	5000/-	25000/-	16X4	10120/-	50600/-
	12X2	3680/-	18400/-	12X3	6000/-	30000/-	25X4	200/- (PER MTR)	
	16X2	4880/-	24400/-	16X3	7200/-	36000/-	35X4	280/- (PER MTR)	
	-	-	-	25X3	150/- (PER MTR)		50X4	370/- (PER MTR)	

ALUMINIUM ARMoured WIRE

100
MTR.


Aluminium Wire-PVC Insulated Cable 1100 Volts

	Size sq.mm	M.R.P
	6X2	3900/-
	8X2	5100/-
	10X2	5800/-
	16X2	8000/-

SUBMERSIBLE WIRE

100
MTR.

Submersible Cable-3 Core Flat Copper Wire

	Size in Sq. MM	No. of wire	GRAND MAX	FORCE	GRAND
	1.5	22	5450/-	8940/-	10990/-
	2.5	36	8550/-	13540/-	16790/-
	4.0	56	12550/-	20640/-	25490/-
	6.0	84	18950/-	30640/-	38290/-
	10.0	140	30250/-	49940/-	61090/-

PACKING ONLY AVAILABLE 300 MTR, 500 MTR

MODULAR BOX

ITEM CODE	SIZE	FIGHTER	FORCE	PACK
KMB 1	3*3 (2M)	44	54	64 PCS
KMB 2	4*3 (3M)	48	59	45 PCS
KMB 3	5*3 (4M)	57	72	36 PCS
KMB 4	8*3 (6M)	81	100	22 PCS
KMB 5	9*3 (8M)	95	118	18 PCS
KMB 6	10*3 (8M)	100	124	18 PCS
KMB 7	5*5 (8M)	90	108	20 PCS
KMB 8	8*6 (12M)	113	141	12 PCS
KMB 9	8*8 (18M)	160	204	8 PCS

FAN BOX

ITEM CODE	ITEM	PRICE	PACK 3"	PACK 4"
KFB 10	500 GM	99	40 PCS	32 PCS
KFB 11	600 GM	116	40 PCS	32 PCS
KFB 12	700 GM	148	40 PCS	32 PCS
KFB 13	800 GM	175	40 PCS	32 PCS
KFB 14	DRAW 3"	106	50 PCS	----
KFB 15	DRAW 4"	112	--	40 PCS

CONCIELD BOX

ITEM CODE	ITEM	PRICE	PACK
KCB 16	CBL 3.0" 200 GM	52	80 PCS
KCB 17	CBL 170 GM	45	64 PCS
KCB 18	CBL 200 GM	49	64 PCS
KCB 19	CBL 250 GM	56	64 PCS
KCB 20	CBL 300 GM	68	64 PCS
KCB 21	CBL 3" DRAW	63	80 PCS
KCB 22	CBL 4" DRAW	70	64 PCS

MCB BOX FORCE

ITEM (DOUBLE DOOR)	FORCE	GRAND	PLATINUM	PRICE	PACK
4 WAY	420	470	590	420	1 PC
6 WAY	465	520	650	465	1 PC
8 WAY	510	590	715	510	1 PC
10 WAY	560	660	780	560	1 PC
12 WAY	600	720	840	600	1 PC
16 WAY	690	870	960	690	1 PC
4 WAY TPN	1090		1260	1090	1 PC
6WAY TPN	1270		1550	1270	1 PC

OTHERS

ITEM CODE	ITEM	PRICE	PACK
KJF 45	JUNCTION BOX	330	24 D
KJF 46	FLAPPER 9" (ALM)	260	20 PCS
KJF 47	FLAPPER 12" (ALM)	330	10 PCS
KJF 48	FLAPPER 15" (ALM)	410	10 PCS
KJF 49	FLAPPER 18" (ALM)	510	10 PCS



- * Powder Coated Aluminum Body
- * Moisture Resistance Copper Winding
- * Anti-Corrosion Graded SS 410 Shaft
- * Graded Casting G-220 for Better Life
- * F Class insulation with stand high Temperature rise

GRAND series

GRAND 126



24 Month Warranty

GRAND 65



GRAND 72



GRAND 75



GRAND 60



An ISO 9001:2015 Company

- * 100 % Copper Winding
- * Graded SS 410 Shaft

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002969966 | Email: kmipump2008@gmail.com | www.kmiwires.com



24 Month Warranty

5 STAR GRAND FEATURES

- * Powder Coated Aluminum Body
- * Moisture Resistance Copper Winding
- * Anti-Corrosion Graded SS 410 Shaft
- * Graded Casting G-220 for Better Life
- * F Class insulation with stand high Temperature rise

Monoblock Pump Sets

Price List

Price List W.E.F. 01-01-2020

Model Name	HP/K.W.	Full Load Current	Head Total Mtr	Head/Discharge	RPM (Syn.Speed)	MRP
GRAND 60	0.5/0.37	2.5A	28	16/1200	2800	4900/-
GRAND 65	1.0/0.75	3.5A	38	18/1500	2800	6300/-
GRAND 72	1.1/0.82	4.5A	45	30/1800	2800	7500/-
GRAND 75	1.5/0.82	5.0A	52	30/2100	2800	9300/-
GRAND 126	1.5/1.125	6.0A	40	25/3400	2800	10900/-
FIGHTER 105 (1Year Warranty)	1.1/0.82	4.5A	35	20/2700	2800	8300/-

Diamond 65 (2 Years Warranty) C.I. BODY	1.0/0.75	3.5A	40	18/1800	2800	7000/-
Diamond 105 (1 Year Warranty) C.I. BODY	1.1/0.82	5.5A	38	20/3000	2800	9500/-

1. Above prices are subject to change without prior notice.
2. All taxes are as applicable
3. This price list cancels our entire previous prices list.
4. All Disputes are subject to Sonipat jurisdiction only.



An ISO 9001:2015 Company

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002969966 | Email: kmipump2008@gmail.com | www.kmiwires.com



GRAND series

SUBMERSIBLE PUMP SET
 (Suitable for 100 mm Bore Well)*
 1 Phase 220 Volts 50 Hz Ac Supply
 2 Pole 3000 RPM (Syn. Speed)

24

Month
Warranty

Submersible Pump Set Wet Type Oil Colled

SPECIFICATION

HP/KW	:	3/2.25 upto
Head Range	:	155 mtr. upto
Discharge	:	350 LPM upto
Degree of Protection	:	IP68
Insulation Class	:	F Class
Max. Starts Per Hour	:	30 Numbers
Min. Starts Per Months	:	10 Number

5

STAR

★★★★★

GRAND

FEATURES

- * Stand with wide voltage range 220-160 Volte
- * 20% glass filled Impeller
- * Anti-Corrosion Graded SS 410 Shaft
- * Graded Casting G-220 for Better Life
- * F Class insulation with stand high Tempera ture rise



- Stainless Steel Sand resistant construction
- Double ball Bearings
- NEMA Mounting Dimensions
- Axial thrust up to 6500 N for High Thrust Motor
- Wet type oil filled, easy rewindable Submersible motors.
- Highly durable designed for best possible hydraulic efficiency.
- Light Weight and compact design.
- Stands with wide voltage 220-180 volts.
- H Class Duel Coat Oxygen free Enameled copper winding.
- 20% Glass filled noryal impellar with S.S. Ring.
- Electrical grade C.R.N.O Lamination



An ISO 9001:2015 Company

KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Toll Free No.: 18002969966 | Email: kmipump2008@gmail.com | www.kmiwires.com

Radial & Mix Flow Submersible Pump Set
 Suitable for 100 mm Bore Well

Price List W.E.F. 01-01-2025

DISCHARGE IN L.P.M

OIL FILLED

2 YEAR WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				80	84	88	92	97	102	107	
1.0 HP	8	1.25"	52 MTR	80	84	88	92	97	102	107	11900/-
				37	36	33	31	28	24	21	
1.0 HP	10	1.25"	60 MTR	55	58	60	65	71	78	86	11900/-
				47	44	42	40	35	30	26	

2 YEAR WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				65	75	85	95	110	130	150	
1.5HP	8	1.5"	55 MTR	65	75	85	95	110	130	150	15700/-
				45	40	35	30	28	26	24	
1.5 HP	12	1.5"	72 MTR	68	72	75	80	88	107	112	15700/-
				56	53	50	45	36	32	31	
1.5 HP	15	1.25"	90 MTR	38	45	56	65	75	82	89	15700/-
				74	70	66	60	55	48	41	

6 MONTH WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				170	204	261	300	360	378	400	
2.0 HP	7	2.0"	35 MTR	170	204	261	300	360	378	400	21500/-
				27	25	22	17	11	7	4	
2.0 HP	10	2.0"	65 MTR	119	124	131	140	147	158	172	19500/-
				55	50	45	40	35	30	25	
2.0 HP	15	1.5"	90 MTR	55	65	75	85	91	102	112	19500/-
				78	72	66	60	55	45	35	
2.0 HP	20	1.25"	120 MTR	39	47	56	65	76	84	90	19500/-
				92	87	84	76	68	61	50	

6 MONTH WARRANTY

HP	STAGE	DELL SIZE	TOTAL HEAD	DISCHARGE :- L.P.M							PRICE LIST
				175	210	237	350	378	396	416	
3.0 HP C.I	7	2.0"	35 MTR	175	210	237	350	378	396	416	29000/-
				30	25	22	18	14	9	6	
3.0HP	9	2.0"	45 MTR	169	202	260	312	368	386	405	26000/-
				40	35	27	23	16	10	7	
3.0 HP	15	2.0"	96 MTR	77	92	110	140	151	158	166	26000/-
				76	74	71	56	59	51	42	
3.0 HP	25	1.25"	145 MTR	40	48	55	65	72	82	92	26000/-
				120	111	103	95	87	79	63	

HEAD IN METERS

Notes:

- The performance is based on rated voltage 220+6%-15% and rated frequency (50HZ+3%)
- The above performance is subjected to tolerances as per relevant Indian Standards.
- Pipe sizes mentioned in mm are nearest conversion of Inches, but actual pipe threading are provided as per 'BSP' Standards
- Total head = Static Suction + Static Delivery + Losses in pipes, bands etc.
- Two year Warranty for Products upto 1.5hp, & 6 months for above ran

- Above prices are subject to change without prior notice.
- All taxes are as applicable
- This price list cancels our entire previous prices list.
- All Disputes are subject to Sonipat jurisdiction only.



An ISO 9001:2015 Company



Smart homes need
smart wiring

Live Life the Happiest Way



Scan QR Code



For More Information



Product Range

- > Cables for House & Industry
- > Single & Multicore Cables
- > PVC Submersible 3 Core flat cables
- > Telephone & Switch board Cables
- > Jelly Filled Co-axial Cables
- > Industrial & Agriculture wiring cables
- > Cat-5 cables for computer application

Dealers :



KANSAL MECHANICAL INDUSTRIES PVT. LTD.

Plot No. - 149, Barhi Industrial Area, Phase - 1, HSIIDC
Ganaur, Distt. Sonipat - 131110 (HR)

